

Attachment 1: Academic and technical words in alphabetical order

Bold words are in common with Lei and Liu (2016)/ * words are in common with Wang et al. (2008)

A: **Abdominal***; Ablation; **Abnormalities**; Abortion; Abortion; Abstinence; Abstract(s) *; Abuse; Ace; **Acid***; Acknowledgment; **Acute**; Adapt*; Additionally; ADHD (Attention-deficit/hyperactivity disorder); Adherence; Adiposity; Adjuvant; Administered; Administrative; Admission(s); Adolescent(s); Adverse; Affirms; Ageing; Aggregate; **Agonists**; **Albumin**; Algorithm; All-Cause; Allergy; Allocated; Allocation; **Alter***; Altman; Alzheimer; Ambulatory; Anaemia; Anaesthesia*; Aneurysm; Angina; Angiography; Angiotensin; Ankle; Anomalies; Antagonist; Antenatal; **Anterior**; **Antibiotic***; **Antibody(ies)**; Anticoagulant; Anticoagulants; Anticoagulation; Antidepressant(s); Antigen; Antihypertensive; **Anti-Inflammatory**; Antiplatelet; Antipsychotic; Antiretroviral; Aortic; APGAR (Appearance, Pulse, Grimace, Activity, and Respiration); Appendix(ces); **Arterial**; **Artery**; Arthritis; Arthroplasty; Ascertainment; Aspirin; **Assay***; Assigned*; Assignment; Assumption(s); Asthma; Astrazeneca; **Asymptomatic**; Atherosclerosis; Atrial; Attenuated*; Attributable; Attributed*; Attribution; Audit*; Autism; Automated

B: **Bacterial**; Balloon; Bariatric; **Baseline***; **Benign**; Benzodiazepine(s); Beverages; Bias(ed) *; Binary; Biobank; **Biological**; Biomarkers; Biomedical; **Biopsy***; Biostatistics; Bipolar; Birthweight; Bladder; Blocker(s); BMI (Body Mass Index); Body-Mass; Borderline; **Bowel**; BP (Blood pressure); **Burden**; Bypass.

C: Caesarean; Calcium*; Calendar; Calibration; Capita; Capture*; **Carcinoma**; **Cardiac**; Cario; Cardiology; **Cardiovascular**; Carers; Carotid; Case-Control; Categorical; Catheter*; Causal; **Cell(s) ***; Censored; Census; Centile; **Cerebral**; Cerebrovascular; Cervical; Cessation; Chemotherapy; Chlamydia; Cholesterol; Chronic*; CI (confidence interval cardiac index); **Circulating**; **Circulation***; Circumference; Cirrhosis; Clinic(s) *; **Clinically**; Clinicaltrials; **Clinician(s)**; Clopidogrel; **Cluster(s)***; Clustering; Cochrane; Coefficient(s); **Cognitive***; **Cohort***; Colitis; Collaboration; Collaborative; Colon; Colonoscopy; Colorectal; Commission; Communication; Comorbidity(ies); Comparator; Complemen(s); Complementary; Complementation; **Compliance**; **Compute(d)**; Concealment; Conceived; Conception; Concomitant*; Concurrent; Confounders; Confounding; Congenital; Congestive; Consecutive; Consent*; Conservative; Consort; Consortium; Consulting; Contraception; Contraceptive(s); Convert(ing); COPD (Chronic obstructive pulmonary disease); Cord*; Coronary; **Correlated**; **Correlation**; Correspond(ing) *; Corticosteroid(s); Cost-Effectiveness; Counselling; Covariate(s); CPRD (Clinical Practice Research Datalink); Creatinine; creative; Criteria(ion)*; Crossover; Crude; CT (Computed tomography); Cumulative; Cut-off ; CVD (cardiovascular disease); Cytology;

D: Dabigatran; Dairy; DAPT (Dual antiplatelet therapy); Database(s); Dataset(s); D-Dimer; Deemed Defects*; Deficiency; Definite; Delirium; Dementia; Demographic(s); Density; Depressive; Depressive; Deprivation; Deprived; Derivation; Derivative; Determinants; Developmental; **Deviation(s)**; DF (degrees of freedom); **Diabetes**; Diabetic; **Diagnosed***; **Diagnosis**; **Diagnostic**; Dialysis; **Diameter*** Diarrhoea; Diastolic; **Diet***; Dietary; **Differential**; **Discharge***; Discharged; Disclosure; Discontinuation; Discontinued; Discrepancies; Discrimination; Distress; Diuretics; dm (diabetes mellitus); DNA (Deoxyribonucleic acid); **Documented***; Donor*; **Dose***; Dose-Response; Dosing; Double-Blind; Draft(ed); Drug-Eluting; Dual; Durable; **Dysfunction**;

E: Ebola; Efficacy*; Elective; Electronic; **Elevated**; **Elevation***; Eligibility; Eluting; EM (Emergency medicine); Embase; Embolism; Embryo*; Emergency; Emergent; Empirical; Endocrinol; Endometrial Endovascular; Endpoint(s); Enrolled*; Enrolment; Environ; Enzyme; Epidemic; **Epidemiological**; **Epidemiology**; Epidural; Epilepsy; **Equivalent**; ER (Emergency room); Ethic ; Ethical; Ethnicity; Exacerbation(s); Excision; Expenditure; **Exposure(s)**; Extracted*

F: Faculty; Faecal; Fasting; Fatal; Fatality; Fatigue; FDA (Food and Drug Administration); Feasibility; Feasible; Feedback; Femoral; Fetal; FEV (Forced expiratory volume in one second) Fibre; Fibrillation; Fibrosis; Fifths; Filtration; **Fluid***; Folic; **Follow-Up***; Formula*; **Fraction***; Fracture(s); Funder(s); Funnel;

G: Gastric; Gastroenterology; Gastrointestinal; Gender*; **Gene***; Generalisability; Generic; **Genetic(s)**; **Genotype**; Geographical; Geriatric; Gestation; Gestational; **Global**; Glomerular; **Glucose***; Glycaemic; GP (General physician); **Grade***; Graduates; Graft*; Guarantor; **Guideline(s) ***; Gynecol;

H: HN (Hemagglutinin Type and Neuraminidase Type) Haemoglobin; Haemorrhage; Haemorrhagic; **Hazard(s)**; HCV (hepatitis C virus); Headache; Healthcare; Health-related; Height; Hemorrhage; Heparin; Hepatitis; Heterogeneity; Hg; High-Income; High-Risk; Hip; HIV (human immunodeficiency virus); Hormone; HPV

(human papilloma virus); HR (heart rate) Hygiene; **Hypertension***; Hypertensive; Hypoglycaemia; **Hypothesis***; Hysterectomy

I: ICD- (International Classification of Diseases, Tenth Revision); ICU (intensive care unit); **Imaging**; **Immune**; Immunisation; Impaired; Impairment; Implant; Implantation; Implementation; Implication(s); Imputation; Imputed; **(In)Adequate***; **Incidence(s)***; Incremental; Index; **Induced***; Inequalities; Infant(s); Infarction; Infect*; Infected; **Infectious**; **Inflammation***; **Inflammatory**; Influenza; **Infusion**; Inhaled; **Inhibition**; **Inhibitor(s)**; In-Hospital; **Initially**; **Initiated**; **Initiation**; Initiative; **Injection(s)**; Inpatient; Institute(s); **Insulin**; **Intake(s) ***; Integrated*; Integrity*; Intellectual Intensity; Intensive; Intention-To-Treat; Interim; **Intermediate**; Intermittent; Intern; **Interpreted*** Interquartile; **Interval(s)**; **Intervention(s)**; Intracerebral; Intracranial; Intraepithelial; Intrauterine; **Intravenous**; **Invasive**; Inverse; Ischaemia; Ischaemic; **Isolated***; IV (intravenous); IVF (in vitro fertilization);

J: Journal(s);

K: **Kidney**;

L: **Laboratory ***; Lag; Laparoscopic; Laser*; LDL (low-density lipoprotein); **Lesion(s)**; **Linear*** **Linkage**; Lipid*; Lipoprotein; Lisense(s); Liver*; Logistic*; Longitudinal; Low-Income; Lumbar; Lymphoma;

M: **Magnetic***; Magnitude*; Malaria; Malformations; **Malignancy***; Mammography; Manual*; Manuscript; **Margin***; Masked; Masking; Maternal; Measles; Media; Median; Medicaid; Medicare; Medication(s); Melanoma; **Mellitus**; Merck; Mesh; **Meta-Analysis**; Metabolic*; **Metabolism**; Meta-Regression; Metastatic; Metformin; Methadone; Methotrexate; Mg (milligram); MH (Malignant hyperthermia); MI (myocardial infarction); Migraine; **Migration**; **Minimal**; **Minimize***; Minimum; Ministry; Miscarriage; Misclassification; Misuse; Mmol (one thousandth of a mole) Mobile (n); **Modified***; Mol (Mole); **Molecular**; Monotherapy; **Morbidity***; **Mortality***; MRI (Magnetic resonance imaging); Multicentre; Multivariable; Multivariate; Musculoskeletal; Mutation*(s); Myocardial;

N: NA (Natrium); Nasal; Nausea; **Neonatal**; Neoplasia; **Nerve**; **Neurological**; Neurology; Newborn; NHS (National Health Service); Nicotine; Non-Commercial; Non-Commercially; Non-Communicable; Non-Fatal; Non-Inferiority; Non-Significant; Non-Steroidal; Novartis; Novel; NP (Nasal Passage); NSAIDS (Non-Steroidal Anti-Inflammatory Drugs); Null; Nutrition; Nutritional;

O: Obese; **Obesity**; Objective*(s); Observational; Obstet; Obstetric(s); Obstructive; Occupation; Odd*(s); Oestrogen; Offspring; Oncology; Ongoing; Onset*; Open-Label; Opioid(s); **Optimal***; **Oral***; Orthopaedic; Osteoarthritis; Osteoporosis; Outpatient; Ovarian; Overdiagnosis; Overdose; Overview; Overweight; **Oxygen***;

P: PA (physician assistant); Paediatric; Palliative; Palsy; Pancreatic; Pancreatitis; Pandemic; Papillomavirus; Paracetamol; Parallel*; **Parameter*(s)**; Parity; Parkinson; Particulate; **Pathology***; **Pathway*(s)**, PCI (Percutaneous coronary intervention, also coronary angioplasty); **PEAK***; Podiatry; Pediatric(s); Peer; Pelvic; Percutaneous; Perinatal; Perioperative; Peripheral; Per-Protocol; **Persistent**; PH (power of hydrogen); Pharmacy; Pharmaceutical(s); Pharmacoepidemiol; Pharmacological; Pharmacology*; Pharmacy; **Physician(s)**; **Physiological**; Physiotherapy; Pilot; Pioglitazone; **Placebo**; Placebo-Controlled; **Plasma***; Platelet; Plot*; PM (particulate matter); PMID (PubMed reference number); Pneumococcal; Pneumonia; Pollution; Polymer; Pooled; Population-Based; Posterior; Postmenopausal; Postnatal; Postoperative; Postpartum; Potassium; PPI (proton pump inhibitor); Practitioner(s); Pragmatic; Predefine; Predefined; **Predictive**; Predictor(s); Pre-eclampsia; Pre-Existing; Pregnancy(ies); Pregnant; Preliminary*; Premature; Prenatal; Preoperative; **Prescribed***; **Prescription(s)**; Prespecified; Preterm; **Prevalence***; **Prevalent**; Preventive; Principal; Priori; **Profile*(s)**; **Prognosis**; **Prognostic**; **Progression**; Progression-Free; **Prolonged***; Propensity; Prophylactic; Prophylaxis; **Prospective**; Prospectively; Prostate; Protein*; Protocol*(s); Proton; Psoriasis; Psychiatric; Psychiatry; **Psychological**; Psychology; Psychosis; Psychosocial; Pulmonary; Pylori;

Q: **Qualitative***; Quantitative; Questionnaire*(s); Quit;

R: Radiation; Radiographic; Radiotherapy; **Randomised**; Randomization; Randomized; **Ratio*(s)**; RCT (randomized controlled trial); **Reactive**; Readmission(s); Recall*; **Receptor***; **Recipients**; **Recover**; Recruited*; Recruitment; Rectal; Recurrence; Recurrent; **Referral**; **Regimen(s)**; Registries; Registry; Regression*; **Regulation**; **Regulatory**; Rehabilitation; Relapse*; Remission; Remix; Remote; **Removal**; **Renal***;

Reproductive; Resection; Resident(s); **Residual***; **Resistant**; Respiration; **Respiratory***; Resuscitation; Retinopathy; Retrieved; Retrospective; Reuptake; Reuse; Revascularisation; Reverse*; Reviewers; Revised; Revision; Rheumatoid; Rheumatology; Rituximab; Rivaroxaban; RNA (Ribonucleic Acid); Robust*; Rotavirus; Routine; Routinely;

S: Saturated; Scan*(s); Schedule*(d); Schizophrenia; Sclerosis; SD (standard deviation); Sectional; Seizure; **Selective**; Sepsis; **Sequence***; Sequential; Serotonin; **Serum**; Sessions; Sham; Sided; Smoker; Sociodemographic; Socioeconomic; Sodium; Specialty; Specifically; **Specificity**; Specified; Spectrum*; Spinal*; Spine; Sponsor; Spontaneous*; Squamous; SSRIS (Selective serotonin reuptake inhibitors); **Stable***; Standardised; Statin; Statistical(ly); Stenosis; Stent; **Steroid(s)**; Stillbirth; **Stimulation**; Stratification; Stratified; Subarachnoid; Subcutaneous; **Subgroup(s)**; Subjective; Sub-Saharan; Subset; Substitution; Subtotal; Subtypes; Suicidal; Suicide; **Summarised**; **Summary***; **Superior***; Superiority; Supervised; Supplemental; **Supplementation**; Surg (Surgery); **Surgeon(s)**; **Surgical**; Surrogate; **Surveillance**; **Survival**; Survivors; SW (Swab); **Symptomatic**; **Syndrome*(s)**; **Synthesis***; **Systemic**; Systolic;

T: Tamoxifen; Technical; **Temporal**; Termination; **Therapeutic**; **Therapy*(ies)**; **Threshold*(s)**; Thromboembolism; Thrombosis; Thyroid; **Timing**; **Tissue***; Tocilizumab; Tolerability; **Tolerance**; **Tomography**; **Toxicity**; **Tract***; Tranexamic; Transfer*; Transfusion; Transient*; Transparency; Transparent; Transplant*; Transplantation; **Trauma***; Traumatic; Triage; Trimester; Triple; Tropical; Troponin; Tuberculosis; Tumour*(s);

U: **Ultrasound**; Unadjusted; **Unclear**; **Undergo*(ing)**; **Underlying**; **Underwent**; Unexposed; Uniform*; Unmeasured; Unrelated; Unsafe; Untreated; Update; **Uptake**; Urgent; **Urinary**; **Urine**; Uterine;

V: Vaccinated; Vaccination; Vaccine(s); Vaginal; Valid*; Validity; Valve; Varenicline; **Variability**; **Variable**; **Variant**; Variate; **Vascular***; **Vein***; **Venous**; Ventilation; **Ventricular**; Versus*; Viral; Virus*; **Vitamin**; Vitro; Vomiting;

W: Ward; Warfarin; Weighted; Wellbeing; Widespread*; Withdrawal; Withdrew; Worldwide;

Z: Zoster